CONTENTS

Preface vii

Sponsors viii

Conference Organization ix

QUANTUM HALL EFFECT

The fractional Hall effect in multi-component systems
A.H. MacDonald 1

The high temperature behavior of the fractional quantum Hall effect
J.E. Furneaux, D.A. Syphers, J. Poulin and B.A. Mason 7

Fractional quantum Hall states at $\nu = 7/11$ and $9/13$
V.J. Goldman and M. Shayegan 10

Critical exponent in the fractional quantum Hall effect
L. Engel, H.P. Wei, D.C. Tsui and M. Shayegan 13

Spin-reversed ground state and energy gap in the fractional quantum Hall effect
T. Chakraborty 16

Spin-dependent properties of the fractional quantum Hall effect at odd denominators
J.P. Eisenstein, H.L. Stormer, L.N. Pfeiffer and K.W. West 21

Spin configurations and quasiparticle fractional charge of fractional QHE ground states in the $N = 0$ Landau level
R.G. Clark, S.R. Haynes, J.V. Branch, A.M. Suckling, P.A. Wright, P.M.W. Oswald, J.J. Harris and C.T. Foxon 25

Activation energies for the even-dominator fractional quantum Hall effect
J.P. Eisenstein, R.L. Willett, H.L. Stormer, L.N. Pfeiffer and K.W. West 31

New results on scaling in the integral quantum Hall effect
H.P. Wei, S.W. Hwang, D.C. Tsui and A.M.M. Pruisken 34

Comparisons of edge state versus bulk conduction in the quantum Hall regime
D.A. Syphers, J.H. Killoran, H.E. Brakewood, F. Reis and P.J. Stiles 37

Edge magnetoplasmons in the quantum Hall effect regime
V.K. Talyanskii, M. Wassermeier, A. Wixforth, J. Oshinowo, J.P. Kotthaus, I.E. Batov, G. Weimann, H. Nickel and W. Schlapp 40

Percolation at $\nu = 1$ in the 2D electron system of e^--beam irradiated AlGaAs/GaAs heterostructures
H. Sigg, J. Richter, K. von Klitzing and K. Ploog 43

Contactless measurement of the spatial potential distribution in the quantum Hall effect
P.F. Fontein, P. Hendriks and J.H. Wolter 47

The effect of lateral constriction and high measuring frequencies on the conductivity of the 2DEG in GaAs/AlGaAs
K.Y. Lim, I. Auer, F. Kuchar, G. Weimann, W. Schlapp, A. Forchel and A. Menschig 50

Power dissipation in the quantum Hall regime
P.A. Russell, F.F. Ouali, N.P. Hewett and L.J. Challis 54

Intrinsic sequence in the breakdown of the quantum Hall effect
P.C. van Son, G.H. Kruithof and T.M. Klapwijk 57

MAGNETO-TRANSPORT

Experiments on localization in Landau subbands with the Landau quantum number 0 and 1 of Si inversion layers
J. Wakabayashi, A. Fukano, S. Kawaji, Y. Koike and T. Fukase 60

On the phase diagrams of the magnetoconductivity for 2D electron systems
S.V. Kravchenko, B.K. Medvedev, V.G. Mokerov, V.M. Pudalov, D.A. Rinberg and S.G. Semenchinsky 63

Floating gate technique as a thermodynamic probe of two-dimensional electron systems
A.M. Dabiran, F.F. Fang, T.P. Smith III and P.J. Stiles 67

Temperature dependence of the amplitude of the Shubnikov–de Haas oscillations in a two-dimensional electron gas
F.A.P. Blom, P.F. Fontein, J.H. Wolter, F.M. Peeters, X. Wu, F. Geerinckx and J.T. Devreese 70

The effects of inversion asymmetry on subband structures in GaSb–InAs–GaSb quantum wells
J. Luo, H. Munekata, F.F. Fang and P.J. Stiles 73

Influence of warping on quantum oscillations in p-type GaAs–(GaAl)As heterostructures
W. Heuring, E. Bangert, K. Grötsch, G. Landwehr, G. Weimann, W. Schlapp, J.-H. Reemtsma and K. Heime 76

Effect of second subband occupancy on energy relaxation of electrons in a 2D gas at $Al_xGa_{1-x}As/GaAs$ heterojunctions at low temperatures
Y. Ma, R. Fletcher, E. Zaremba, M. D'Iorio, C.T. Foxon and J.J. Harris 80

Magnetotransport in a wide parabolic quantum well
M. Shayegan, T. Sajoto, J. Jo, M. Santos and L. Engel 83

Landau level broadening and Van Hove singularities in lateral surface superlattices
D. Weiss, K. von Klitzing, K. Ploog and G. Weimann 88

Quantum magneto-transport theory for two-dimensional electron systems with unidirectional periodic modulation
R.R. Gerhardts and C. Zhang 92

Magneto-resistance and Hall resistance in a 1D periodically modulated two-dimensional electron gas
P. Vasilopoulos and F.M. Peeters 96

TRANSPORT STUDIES

Maximum entropy approaches to quantum transport
J.L. Pichard, P.A. Mello, A.D. Stone and N. Zanon 101

Localization and interaction effects in GaAs/AlGaAs heterostructures modified by ^{4}He-ion implantation
R. Taboryski, E. Veje and P.E. Lindelof 105

Surface-limited resistivity in 2D-semiconductors and 2D-metals: influence of roughness modeling
D. Calecki and G. Fishman 110

Acoustic phonon scattering in ultra-high mobility, low carrier density GaAs/(Al,Ga)As heterojunctions
J.J. Harris, C.T. Foxon, D. Hilton, J. Hewett, C. Roberts and S. Auzoux 113

Phonon-drag effect in GaAs–AlGaAs heterostructures by monochromatic phonons
A. Lega, H. Karl, W. Dietsche, A. Fischer and K. Ploog 116

Two-dimensional persistent photoconductivity and magnetic freeze-out in lightly "δ"-doped InP
D. Lavielle, J.C. Portal, M.A. di Forte-Poisson, C. Brylinksi and E. Blondeau 119

Pressure dependence of light-hole transport in strained InGaAs/GaAs
D. Lancefield, W. Batty, C.G. Crookes, E.P. O'Reilly, A.R. Adams, K.P. Homewood, G. Sundaram, R.J. Nicholas, M. Emeny and C.R. Whitehouse 122

MAGNETIC PROPERTIES AND SPIN RESONANCE

Electron spin resonance and Overhauser shift of two-dimensional conduction electrons
M. Dobers 126

Nuclear spin–lattice relaxation in quasi 2D-systems: the role of impurity scattering
T. Maniv and I.D. Vagner 134

Exchange enhancement of the spin gap of a spin-polarized 2D electron gas determined by optical absorption spectroscopy
B.B. Goldberg, D. Heiman and A. Pinczuk 137

Possible spin-density wave in wide parabolic quantum wells
L. Brey and B.I. Halperin 142

Ultrafast spin dynamics in diluted magnetic semiconductor superlattices
D.D. Awschalom, M.R. Freeman, C. Hsu and L.L. Chang 145

Strong confinement effects in CdTe/MnTe quantum wells: a new strained layer binary II–VI heterostructure
Q. Fu, N. Pelekanos, A.V. Nurmikko, S. Durbin, J. Han, O. Sungki, D. Menke, M. Kobayashi and R.L. Gunshor 148

Exchange splitting of the heavy hole exciton ground state in GaAs–GaAlAs quantum wells
M. Potemski, J.C. Maan, A. Fasolino, K. Ploog and G. Weimann 151

VERTICAL TRANSPORT AND TUNNELING

Hot electron transport in the plane
M. Heiblum, A. Palevski, U. Sivan and C.P. Umbach 155

Calculation of incoherent tunneling and valley current in resonant tunneling structures
F. Chevoir and B. Vinter 158

Electron–phonon interaction in GaAs/$Al_xGa_{1-x}As$/GaAs single-barrier heterojunction diodes
K. Hirakawa, H. Sakaki and T. Ikoma 161

Assisted hole tunneling in double quantum well structures
R. Ferreira and G. Bastard 165

Magneto-tunneling between barrier-separated 2D electron gas systems
W. Demmerle, J. Smoliner, G. Berthold, E. Gornik, G. Weimann and W. Schlapp 169

Tunneling between two-dimensional electron gases
E.E. Mendez and L.L. Chang 173

Coherent and sequential resonant magnetotunneling through double barrier structures
G. Platero, P.A. Schulz and C. Tejedor 177

Spectroscopy of the Fermi energy in quantizing magnetic fields via resonant tunneling
E. Böckenhoff and K. von Klitzing 182

Electronic processes in double barrier resonant tunneling structures investigated by optical spectroscopy
M.S. Skolnick, A.W. Higgs, P.E. Simmonds, D.G. Hayes, G.W. Smith, H.J. Hutchinson, A.D. Pitt, C.R. Whitehouse, L. Eaves, M. Henini and O.H. Hughes 185

Tunneling in double quantum well structures: role of optical phonons
D.Y. Oberli, Jagdeep Shah, T.C. Damen, J.M. Kuo, R.F. Kopf and J.E. Henry 189

Electron, hole and exciton tunneling in a biased quantum well structure
R. Ferreira, H.W. Liu, C. Delalande, G. Bastard, J.F. Palmier and B. Etienne 192

Electron tunneling via Γ- and X-states in GaAs/$Al_{0.35}Ga_{0.65}As$ double quantum well structures
M. Nido, M.G.W. Alexander, K. Reimann, K. Ploog, W.W. Rühle and K. Köhler 195

Intersubband emission excited by high field superlattice transport
M. Helm, P. England, E. Colas, F. DeRosa and S.J. Allen, Jr. 199

HALL EFFECT IN CONSTRICTED SYSTEMS

Transmission probabilities and the quantum Hall effect
M. Büttiker 201

Quenching of the Hall effect in a novel geometry
A.M. Chang and T.Y. Chang 209

Geometrical effects on the Hall resistance in ballistic microstructures
H.U. Baranger and A.D. Stone 212

Transmission and reflection probabilities between the $\nu = 1$ and the $\nu = \frac{2}{3}$ quantum Hall effects
A.M. Chang and J.E. Cunningham 216

Fractional quantized Hall effect in a ballistic constriction in a two-dimensional electron gas
G. Timp, R. Behringer, J.E. Cunningham and R.E. Howard 219

Non-equilibrium population of edge states and a role of contacts in the quantum Hall regime
S. Komiyama, H. Hirai, S. Sasa and T. Fujii 224

Edge state transport in high magnetic fields in a two-dimensional electron gas
R.J. Haug, K. von Klitzing, K. Ploog and P. Streda 229

QUASI ONE-DIMENSIONAL AND ZERO-DIMENSIONAL SYSTEMS

Ballistic electron transport in quasi-one-dimensional systems
D.A. Wharam, R. Newbury, M. Pepper, D.G. Hasko, H. Ahmed, J.E.F. Frost, D.A. Ritchie, D.C. Peacock, G.A.C. Jones, T.J. Thornton and U. Ekenberg 233

Quantum confinement in few-electron systems
T.P. Smith III 239

Excitation spectroscopy of strain-patterned semiconductor wires
K. Kash, J.M. Worlock, A.S. Gozdz, B.P. Van der Gaag, J.P. Harbison, P.S.D. Lin and L.T. Florez 245

Effect of the wire width on 1D magneto excitons in GaAs–AlGaAs quantum-well wires
M. Kohl, D. Heitmann, P. Grambow and K. Ploog 248

Tunable in-plane-gated (IPG) quantum wire structures fabricated with directly written focused ion beams
A.D. Wieck and K. Ploog 252

One-dimensional electronic systems in ultra-fine mesa etched InGaAs–InAlAs–InP quantum wires
K. Kern, T. Demel, D. Heitmann, P. Grambow, K. Ploog and M. Razeghi 256

Reduction of the quantum noise in a GaAlAs/GaAs heterojunction and n^+ GaAs wires of mesoscopic size by a magnetic field
D. Mailly and M. Sanquer 260

Optical and transport properties of one-dimensional quantum wire structures
S. Das Sarma, S. He and Qiang Li 264

Current distribution and Hall resistance in quantum wires
H. Akera and T. Ando 268

Electrical transport in a quantum wire
F.M. Peeters and P. Vasilopoulos 271

Plasma and single particle excitations in quasi-one-dimensional electron systems
V. Shikin, T. Demel and D. Heitmann 276

Electron–polar optical phonon scattering rates in multisubband quantum wire structures
M.H. Degani and O. Hipólito 279

Magneto-optics with few electrons in quantum dots on InSb
Ch. Sikorski and U. Merkt 282

Field-effect tunable quantum dots on silicon
J. Alsmeier, E. Batke and J.P. Kotthaus 287

QUANTUM INTERFERENCE EFFECTS

Transport through zero-dimensional states in a quantum dot
L.P. Kouwenhoven, B.J. van Wees, K.J.P.M. Harmans and J.G. Williamson 290

The Hall effect in ballistic junctions
C.J.B. Ford, S. Washburn, M. Büttiker, C.M. Knoedler and J.M. Hong 298

Injection of ballistic hot electrons and cool holes in a two-dimensional electron gas
J.G. Williamson, H. van Houten, C.W.J. Beenakker, M.E.I. Broekaart, L.I.A. Spendeler, B.J. van Wees and C.T. Foxon 303

Gated, asymmetric rings as tunable electron interferometers
C.J.B. Ford, A.B. Fowler, J.M. Hong, C.M. Knoedler, S.E. Laux, J.J. Wainer and S. Washburn 307

Resonant transport effects due to an impurity in a narrow constriction
P.L. McEuen, B.W. Alphenaar, R.G. Wheeler and R.N. Sacks 312

Coherent electronic transport properties of quasi-one-dimensional systems
B. Kramer, J. Mašek, V. Špička and B. Velický 316

Quantum fluctuations in n^+ GaAs wires with invasive probes
W. Hansen, T.P. Smith III, D.P. DiVincenzo, K.Y. Lee, Y.H. Lee and R. Cheung 321

Universal thermopower and rectification fluctuations
T. Galloway, B.L. Gallagher, P. Beton, J.P. Oxley, M. Carter, S.P. Beaumont, S. Thoms and C.D.W. Wilkinson 326

Unusual band effects in a 2D lattice: superconducting properties of artificial networks and singly connected dots
B. Pannetier, O. Buisson, P. Gandit, Y.Y. Wang, J. Chaussy and R. Rammal 331

h/e periodicity of weak localization in semiconductor surface superlattices
Jun Ma, R.A. Puechner, W.-P. Liu, A.M. Kriman, G.N. Maracas and D.K. Ferry 341

WIGNER CRYSTALLISATION, DENSITY WAVES AND ELECTRONS ON LIQUID He

Experiments on ordering in classical and quantum 2D electron systems
D.C. Glattli, G. Deville, V. Duburcq, F.I.B. Williams, E. Paris, B. Etienne and E.Y. Andrei 344

Conduction properties of a Wigner crystallization induced two-dimensional sliding charge-density wave
H.-W. Jiang and A.J. Dahm 352

Melting criterion of two-dimensional Wigner crystals on thin films of liquid He
M. Saitoh 356

Magnetoresistance of 2D electrons on helium below 1 K
A.O. Stone, P. Fozooni, M.J. Lea and J. Frost 359

High frequency transport of electrons on helium films
B. Lehndorff, J. Löhle and K. Dransfeld 362

Negative low-field magnetoresistance of electrons on liquid helium
A.M.L. Janssen, R.W. van der Heijden, A.T.A.M. de Waele, H.M. Gijsman and F.M. Peeters 365

Experimental observation of crystallization and ripplon generation in a two-dimensional pool of helium ions
C.J. Mellor and W.F. Vinen 368

MANY BODY EFFECTS AND ELECTRONIC STATES

Femtosecond carrier dynamics in modulation-doped quantum wells
W.H. Knox 371

Correlation effects on the optical properties of confined plasmas
G.E.W. Bauer 374

High intensity excitation luminescence of quantum wells in high magnetic fields
M. Potemski, J.C. Maan, K. Ploog and G. Weimann 380

Light scattering determination of roton densities of states in two-dimensional Landau level excitations
A. Pinczuk, J.P. Valladares, D. Heiman, L.N. Pfeiffer and K.W. West 384

Resonant Raman scattering of coupled magnetoplasmon–cyclotron modes in layered two-dimensional electron systems
T. Zettler, C. Peters, J.P. Kotthaus and K. Ploog 388

Grating coupler effects on inelastic light scattering by plasmons in micro structured GaAs MQW systems
T. Egeler, G. Abstreiter, G. Weimann, T. Demel, D. Heitmann and W. Schlapp 391

Single particle excitations and plasmons in a single asymmetric modulation-doped GaAs quantum well
B. Jusserand, D.R. Richards, G. Fasol, G. Weimann and W. Schlapp 394

Relevant scattering processes, band gap renormalization and Moss–Burstein shift in modulation doped narrow GaAs/AlGaAs multiple quantum wells
U. Bockelmann, P. Hiergeist, G. Abstreiter, G. Weimann and W. Schlapp 398

Stress and the Van Hove singularities of hole magnetoplasmons
S.-R.E. Yang and A.H. MacDonald 402

Many-body effects in GaAs-based two-dimensional electron systems
R. Jalabert and S. Das Sarma 405

Many-body local fields and quasiparticle renormalization effects in two-dimensional electronic systems
S. Yarlagadda and G.F. Giuliani 410

Single-particle and collective excitations of doped superlattices and *d*-parameter theory
J. Zhang and S. Ulloa 415

Wave function engineering in asymmetric modulation-doped quantum wells
U. Ekenberg 419

Some calculations on the Wannier–Stark states
R. Ferreira and G. Bastard 424

High pressure and high magnetic field studies of the two-dimensional electron gas at a CdTe/InSb interface
M. Alikacem, M.L. Leadbeater, D.K. Maude, M. Davies, L. Eaves, M. Heath, L. Dmowski, J.C. Portal, D. Ashenford and B. Lunn 428

OPTICAL PROPERTIES

Optical study of probability densities in quantum well eigenstates
J.M. Gerard and J.Y. Marzin 433

Electro-optical properties of GaAs doping superlattices containing extreme electric fields
A.P. Thorn, P.C. Klipstein and R.W. Glew 439

Resonant excitation in the interacting subband–valence band system of a narrow gap semiconductor
R. Sizmann, M. Zass and F. Koch 444

Luminescence experiments on acceptor δ-doped GaAs–AlGaAs single heterojunctions with optically tunable electron concentration
I.V. Kukushkin, A.S. Plaut, K. von Klitzing and K. Ploog 447

Determination of Γ–X transfer rates in type II (Al)GaAs/AlAs superlattices
J. Feldmann, R. Sattmann, G. Peter, E.O. Göbel, J. Nunnenkamp, J. Kuhl, J. Hebling, K. Ploog, R. Cingolani, R. Muralidharan, P. Dawson and C.T. Foxon 452

Optical study of the band structure of InAs/GaAs ordered alloys
J.M. Gerard, J.Y. Marzin, C. d'Anterroches, B. Soucail and P. Voisin 456

Optical phenomena elucidating carrier transport in short-period superlattices
I.N. Uraltsev, V.P. Kochereshko, P.S. Kop'ev, A.M. Vasiliev and D.R. Yakovlev 459

Exciton radiative lifetime in short period GaAs–AlAs superlattices of type II
D. Scalbert, J. Cernogora, C. Benoit à la Guillaume, M. Maaref, F.F. Charfi and R. Planel 464

Optical investigations of semiconductor superlattices in parallel electric and magnetic fields
B. Soucail, P. Voisin, M. Voos and M. Allovon 468

Stark ladder excitonic transitions
J.A. Brum and F. Agulló-Rueda 472

Confined excitons under biaxial compression and tension
M. Schlierkamp, R. Wille, K. Greipel, U. Rössler, W. Schlapp and G. Weimann 476

Strong effects of electron–hole Coulomb interaction on optical properties of CdTe quantum wells
H. Tuffigo, B. Lavigne, R.T. Cox, G. Lentz, N. Magnea and H. Mariette 480

MAGNETO-OPTICAL PROPERTIES

Characterization of GaAs/AlGaAs heterojunctions by optical detection of cyclotron resonance
W.M. Chen, B. Monemar, Q.X. Zhao, P.O. Holtz, M. Sundaram, J.L. Merz and A.C. Gossard 484

Bound state cyclotron resonance in modulation doped GaAs–$Al_xGa_{1-x}As$ quantum wells
G. Wiggins, R.J. Nicholas, J.J. Harris and C.T. Foxon 488

Measurement of the effective mass along the growth direction of a thin-barrier GaAs–AlAs superlattice
G. Brozak, F. DeRosa, D.M. Hwang, P. Miceli, S.A. Schwarz, J.P. Harbison, L.T. Florez and S.J. Allen, Jr. 493

2D cyclotron resonance and magneto-polaron coupling to homopolar and LO phonons in the layered semiconductor InSe
D.F. Howell, T.J.B.M. Janssen, R.J. Nicholas, C.J.G.M. Langerak, J. Singleton and A. Chevy 496

Evidence for semimetallic character in $Hg_{1-x}Zn_xTe$–CdTe superlattices
J.M. Berroir, Y. Guldner, J. Manasses, J.P. Vieren, M. Voos, X. Chu and J.P. Faurie 501

Magnetic field effects in highly resolved two-dimensional excitons
L. Viña, G.E.W. Bauer, M. Potemski, J.C. Maan, E.E. Mendez and W.I. Wang 504

Magneto-luminescence study of carrier-induced excitonic to free-carrier transition of radiative recombination in a semiconductor quantum well
H. Yoshimura and H. Sakaki 508

Photoluminescence and transport studies of wide (InGa)As/InP quantum wells in high magnetic field
D.G. Hayes, M.S. Skolnick, L. Eaves, P.E. Simmonds, L.L. Taylor, S.J. Bass and K.J. Nash 512

Magnetoplasma effects in a quasi-three-dimensional electron gas
K. Karraï, X. Ying, H.D. Drew and M. Shayegan 515

Exciton–one-component plasma interaction in high magnetic fields
R. Stępniewski, W. Knap, A. Raymond, G. Martinez, J.C. Maan, B. Etienne and K. Ploog 519

Properties of edge magnetoplasmons in a degenerate 2D electron gas
I.M. Grodnensky and A.Yu. Kamaev 522

Author index 526

Subject index 535